

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 03.11.2015

Version number 2

Revision: 03.11.2015

1 Identification of the substance/mixture and of the company/undertaking

· **Product identifier**

· **Trade name:** VIRASURE AQUATIC

· **Relevant identified uses of the substance or mixture and uses advised against** Broad spectrum disinfectant

· **Application of the substance / the preparation**

For use on fish farms, fresh water hatcheries, wellboats and food processing plants.

· **Manufacturer/Supplier:**

Fish Vet Group
22 Carsegate Road
Inverness
IV3 8EX
Scotland UK

Tel: +44 (0) 1463 717774
Fax: +44 (0) 1463 717775
eMail: info@fishvetgroup.com

· **Further information obtainable from:**

+44 (0) 1463 717774
eMail: info@fishvet.com

· **Emergency telephone number:**

UK : +44 (0) 845 0093342
International: +44 (0) 1233 849729 (24/7)

2 Hazards identification

· **Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



C; Corrosive

R35: Causes severe burns.



Xn; Harmful

R22: Harmful if swallowed.



Xi; Sensitising

R43: May cause sensitisation by skin contact.

R52: Harmful to aquatic organisms.

· **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

(Contd. on page 2)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 03.11.2015

Version number 2

Revision: 03.11.2015

Trade name: VIRASURE AQUATIC

(Contd. from page 1)

- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**





GHS05 GHS07

- **Signal word** *Danger*
- **Hazard-determining components of labelling:**
pentapotassium bis(peroxymonosulphate)bis(sulphate)
sodium alkyl olefin sulfonates
- **Hazard statements**
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
- **Precautionary statements**
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/physician.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterisation:** *Mixtures*
- **Description:** *Mixture of substances listed below with nonhazardous additions.*

- **Dangerous components:**

CAS: 70693-62-8 EINECS: 274-778-7	<i>pentapotassium bis(peroxymonosulphate)bis(sulphate)</i>  C R34; Xn R22 R52 Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Aquatic Chronic 3, H412	30-50%
CAS: 6915-15-7 EINECS: 230-022-8	<i>malic acid</i>  Xi R36/38 Skin Irrit. 2, H315; Eye Irrit. 2, H319	10 - 25%

(Contd. on page 3)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 03.11.2015

Version number 2

Revision: 03.11.2015

Trade name: VIRASURE AQUATIC

(Contd. from page 2)

RTECS: -	sodium alkyl olefin sulfonates ☒ Xn R22; ☒ Xi R36/38; ☒ Xi R43 ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	5 - 10%
CAS: 5329-14-6 EINECS: 226-218-8 RTECS: WO 5950000	sulfamic acid ☒ Xi R36/38 R52/53 ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	2.5 - 5%
CAS: 7647-14-5 EINECS: 231-598-3 RTECS: VZ4725000	Sodium chloride ☒ Xi R36 ⚠ Eye Irrit. 2, H319	2.5 - 5%

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First aid measures

· **Description of first aid measures**

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may occur even after several hours; therefore medical observation for at least 48 hours after the accident is recommended.

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient in recovery position for transport.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Rinse mouth. Do not induce vomiting.

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Firefighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

· **Advice for firefighters**

· **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 03.11.2015

Version number 2

Revision: 03.11.2015

Trade name: VIRASURE AQUATIC

(Contd. from page 3)

- **Methods and material for containment and cleaning up:**
 - Use neutralizing agent.
 - Dispose of contaminated material as waste according to item 13.
 - Ensure adequate ventilation.
- **Reference to other sections**
 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
 - Remove dust thoroughly.
 - Store in cool, dry place in tightly closed receptacles.
 - Prevent formation of dust.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
 - Store in a cool location.
 - Please refer to the manufacturer's certificate for specific storage and transport temperature conditions.
 - Store only in the original receptacle.
 - Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
 - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** Lists used were valid at the time of SDS preparation.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the eyes and skin.
- **Respiratory protection:**
 - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

(Contd. on page 5)

GB

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 03.11.2015

Version number 2

Revision: 03.11.2015

Trade name: VIRASURE AQUATIC

(Contd. from page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves** Rubber gloves

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Powder

Colour: Pink

· **Odour:** faint lemon

· **Odour threshold:** Not determined.

· **pH-value at 20 °C:** 2.6

(1% Solution)

· **Change in condition**

Melting point/Melting range: Not determined.

Boiling point/Boiling range: Not determined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not determined.

· **Ignition temperature:**

Decomposition temperature: Not determined.

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Not determined.

· **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

· **Vapour pressure:** Not applicable.

· **Density:** Not determined.

· **Relative density** Not determined.

· **Vapour density** Not applicable.

· **Evaporation rate** Not applicable.

· **Solubility in / Miscibility with water:**

Soluble.

(Contd. on page 6)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 03.11.2015

Version number 2

Revision: 03.11.2015

Trade name: VIRASURE AQUATIC

(Contd. from page 5)

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· **Dynamic:** Not applicable.

· **Kinematic:** Not applicable.

· **Other information** No further relevant information available.

10 Stability and reactivity

· **Reactivity** Stable under normal conditions.

· **Chemical stability** Stable under normal conditions.

· **Thermal decomposition / conditions to be avoided:**

Formation of toxic gases is possible during heating or in case of fire.

· **Possibility of hazardous reactions** No dangerous reactions known.

· **Conditions to avoid** Heat.

· **Incompatible materials:** Strong oxidizing agents.

· **Hazardous decomposition products:** Formation of toxic gases is possible during heating or in case of fire.

11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **Primary irritant effect:**

· **on the skin:** Strong caustic effect on skin and mucous membranes.

· **on the eye:** Strong caustic effect.

· **Sensitisation:** Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behaviour in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Ecotoxicological effects:**

· **Remark:** Harmful to fish

· **Additional ecological information:**

· **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

(Contd. on page 7)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 03.11.2015

Version number 2

Revision: 03.11.2015

Trade name: VIRASURE AQUATIC

(Contd. from page 6)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

18 02 03	wastes whose collection and disposal is not subject to special requirements in order to prevent infection
----------	---

18 02 05*	chemicals consisting of or containing dangerous substances
-----------	--

- **Uncleaned packaging:**
- **Recommendation:** Dispose of in accordance with national regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

- **UN-Number**
- **ADR, IMDG, IATA** UN3260
- **ADR** 3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
(pentapotassium bis(peroxymonosulphate)bis(sulphate))
- **IMDG, IATA** CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
(pentapotassium bis(peroxymonosulphate)bis(sulphate))

- **Transport hazard class(es)**

- **ADR, IMDG, IATA**



- **Class** 8 Corrosive substances.
- **Label** 8

- **Packing group**

- **ADR, IMDG, IATA** III

- **Environmental hazards:**

- **Marine pollutant:** No

- **Special precautions for user**

Warning: Corrosive substances.

- **Danger code (Kemler):**

80

- **EMS Number:**

F-A,S-B

- **Segregation groups**

Acids

- **Transport in bulk according to Annex II of**

MARPOL73/78 and the IBC Code
Not applicable.

- **Transport/Additional information:**

- **ADR**

- **Excepted quantities (EQ):**

E1

(Contd. on page 8)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 03.11.2015

Version number 2

Revision: 03.11.2015

Trade name: VIRASURE AQUATIC

(Contd. from page 7)

· Limited quantities (LQ)	5 kg
· Transport category	3
· Tunnel restriction code	E
· UN "Model Regulation":	UN3260, CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (pentapotassium bis(peroxymonosulphate)bis(sulphate)), 8, III

15 Regulatory information

 · **Safety, health and environmental regulations/legislation specific for the substance or mixture**

 · **Philippines Inventory of Chemicals and Chemical Substances**

6915-15-7	malic acid
5329-14-6	sulfamic acid
7647-14-5	Sodium chloride

 · **Australian Inventory of Chemical Substances**

6915-15-7	malic acid
5329-14-6	sulfamic acid
7647-14-5	Sodium chloride

 · **Standard for the Uniform Scheduling of Drugs and Poisons**

5329-14-6	sulfamic acid	S5, S6
-----------	---------------	--------

 · **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 · **Relevant phrases**

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H412 Harmful to aquatic life with long lasting effects.

R22 Harmful if swallowed.

R34 Causes burns.

R36 Irritating to eyes.

R36/38 Irritating to eyes and skin.

R43 May cause sensitisation by skin contact.

R52 Harmful to aquatic organisms.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

 · **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

 · **Sources**

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.